

This XML file does not appear to have any style information associated with it.
The document tree is shown below.

```
<!--
```

```
    The contents of this file are subject to the license and copyright
    detailed in the LICENSE and NOTICE files at the root of the source
    tree and available online at
```

```
    http://www.dspace.org/license/
```

```
-->
```

```
<beans xmlns="http://www.springframework.org/schema/beans" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:context="http://www.springframework.org/schema/context" xmlns:util="http://www.springframework.org/schema/util" xsi:schemaLocation="http://www.springframework.org/schema/beans http://www.springframework.org/schema/beans/spring-beans-3.0.xsd http://www.springframework.org/schema/context http://www.springframework.org/schema/context/spring-context-3.0.xsd http://www.springframework.org/schema/util http://www.springframework.org/schema/util/spring-util-3.0.xsd" default-autowire-candidates="*Service,*DAO,javax.sql.DataSource">
```

```
<context:annotation-config/>
```

```
<!-- allows us to use spring annotations in beans -->
```

```
<bean id="solrServiceResourceIndexPlugin" class="org.dspace.discovery.SolrServiceResourceRestrictionPlugin" scope="prototype"/>
```

```
<bean id="SolrServiceSpellIndexingPlugin" class="org.dspace.discovery.SolrServiceSpellIndexingPlugin" scope="prototype"/>
```

```
<alias name="solrServiceResourceIndexPlugin" alias="org.dspace.discovery.SolrServiceResourceRestrictionPlugin"/>
```

```
<!--
```

```
    Additional indexing plugin to implement the browse system via SOLR
```

```
-->
```

```
<bean id="solrBrowseIndexer" scope="prototype" class="org.dspace.browse.SolrBrowseCreateDAO"/>
```

```
<!--
```

```
    Bean that is used for mapping communities/collections to certain discovery configurations.
```

```
-->
```

```
<bean id="org.dspace.discovery.configuration.DiscoveryConfigurationService" class="org.dspace.discovery.configuration.DiscoveryConfigurationService">
```

```
<property name="map">
```

```
<map>
```

```
<!--
```

```
    The map containing all the settings,
```

```
        the key is used to refer to the page (the "site" or a community/collection handle)
```

```
        the value-ref is a reference to an identifier of the DiscoveryConfiguration format
```

```
-->
```

```
<!--
```

```
    The default entry, DO NOT REMOVE the system requires this
```

```
-->
```

```
<entry key="default" value-ref="defaultConfiguration"/>
```

```
<!--
```

```
    Use site to override the default configuration for the home page & default discovery page
```

```
-->
```

```
<entry key="site" value-ref="homepageConfiguration"/>
```

```
<!--
```

```
<entry key="123456789/7621" value-ref="defaultConfiguration"/>
```

```
-->
```

```
</map>
```

```
</property>
```

```
<property name="toIgnoreMetadataFields">
```

```
<map>
```

```
<entry>
```

```
<key>
```

```
<util:constant static-field="org.dspace.core.Constants.COMMUNITY"/>
```

```
</key>
```

```
</list>
```

```
<!-- Introduction text -->
```

```
<!-- <value>dc.description</value> -->
```

```
<!-- Short description -->
```

```
<!-- <value>dc.description.abstract</value> -->
```

```
<!-- News -->
```

```
<!-- <value>dc.description.tableofcontents</value> -->
```

```

<!-- Copyright text -->
<value>dc.rights</value>
<!-- Community name -->
<!-- <value>dc.title</value> -->
</list>
</entry>
<entry>
<key>
<util:constant static-field="org.dspace.core.Constants.COLLECTION"/>
</key>
<list>
<!-- Introduction text -->
<!-- <value>dc.description</value> -->
<!-- Short description -->
<!-- <value>dc.description.abstract</value> -->
<!-- News -->
<!-- <value>dc.description.tableofcontents</value> -->
<!-- Copyright text -->
<value>dc.rights</value>
<!-- Collection name -->
<!-- <value>dc.title</value> -->
</list>
</entry>
<entry>
<key>
<util:constant static-field="org.dspace.core.Constants.ITEM"/>
</key>
<list>
<value>dc.description.provenance</value>
</list>
</entry>
</map>
</property>
</bean>
<!-- The default configuration settings for discovery -->
<bean id="defaultConfiguration" class="org.dspace.discovery.configuration.DiscoveryConfigurati
on" scope="prototype">
<!-- Which sidebar facets are to be displayed -->
<property name="sidebarFacets">
<list>
<ref bean="searchFilterAuthor"/>
<ref bean="searchFilterSubject"/>
<ref bean="searchFilterIssued"/>
<ref bean="searchFilterRefNo"/>
</list>
</property>
<!--
Set TagCloud configuration per discovery configuration
-->
<property name="tagCloudFacetConfiguration" ref="defaultTagCloudFacetConfiguration"/>
<!--
The search filters which can be used on the discovery search page
-->
<property name="searchFilters">
<list>
<ref bean="searchFilterTitle"/>
<ref bean="searchFilterAuthor"/>
<ref bean="searchFilterSubject"/>
<ref bean="searchFilterIssued"/>
<ref bean="searchFilterRefNo"/>
</list>
</property>
<!-- The sort filters for the discovery search -->
<property name="searchSortConfiguration">
<bean class="org.dspace.discovery.configuration.DiscoverySortConfiguration">
<!--
<property name="defaultSort" ref="sortDateIssued"/>
-->
<!--
DefaultSortOrder can either be desc or asc (desc is default)
-->
<property name="defaultSortOrder" value="desc"/>
<property name="sortFields">
<list>
<ref bean="sortTitle"/>
<ref bean="sortDateIssued"/>
<ref bean="sortRefNo"/>

```

```

</list>
</property>
</bean>
</property>
<!--
Any default filter queries, these filter queries will be used for all queries done by
discovery for this configuration
-->
<!-- <property name="defaultFilterQueries"> -->
<!-- <list> -->
<!-- Only find items -->
<!-- <value>search.resourcetype:2</value> -->
<!-- </list> -->
<!-- </property> -->
<!-- The configuration for the recent submissions -->
<property name="recentSubmissionConfiguration">
<bean class="org.dspace.discovery.configuration.DiscoveryRecentSubmissionsConfiguration">
<property name="metadataSortField" value="dc.date.accessioned"/>
<property name="type" value="date"/>
<property name="max" value="20"/>
</bean>
</property>
If enabled the collection home page will not display metadata but show a pageable list of
recent submissions
-->
<property name="useAsHomePage" value="false"/>
</bean>
</property>
<!-- Default result per page -->
<property name="defaultRpp" value="10"/>
<property name="hitHighlightingConfiguration">
<bean class="org.dspace.discovery.configuration.DiscoveryHitHighlightingConfiguration">
<property name="metadataFields">
<list>
<bean class="org.dspace.discovery.configuration.DiscoveryHitHighlightFieldConfiguration">
<property name="field" value="dc.title"/>
<property name="snippets" value="5"/>
</bean>
<bean class="org.dspace.discovery.configuration.DiscoveryHitHighlightFieldConfiguration">
<property name="field" value="dc.contributor.author"/>
<property name="snippets" value="5"/>
</bean>
<bean class="org.dspace.discovery.configuration.DiscoveryHitHighlightFieldConfiguration">
<property name="field" value="dc.description.abstract"/>
<property name="maxSize" value="250"/>
<property name="snippets" value="2"/>
</bean>
<bean class="org.dspace.discovery.configuration.DiscoveryHitHighlightFieldConfiguration">
<property name="field" value="fulltext"/>
<property name="maxSize" value="250"/>
<property name="snippets" value="2"/>
</bean>
</list>
</property>
</bean>
</property>
<property name="moreLikeThisConfiguration">
<bean class="org.dspace.discovery.configuration.DiscoveryMoreLikeThisConfiguration">
<!--
When altering this list also alter the "xmlui.Discovery.RelatedItems.help" key as it describes
the metadata fields below
-->
<property name="similarityMetadataFields">
<list>
<value>dc.title</value>
<value>dc.contributor.author</value>
<value>dc.creator</value>
<value>dc.subject</value>
</list>
</property>
<!--
The minimum number of matching terms across the metadata fields above before an item is found
as related
-->
<property name="minTermFrequency" value="5"/>
<!-- The maximum number of related items displayed -->
<property name="max" value="3"/>
</property>

```

```

The minimum word length below which words will be ignored
-->
<property name="minWordLength" value="5"/>
</bean>
</property>
<!--
When true a "did you mean" example will be displayed, value can be true or false
-->
<property name="spellCheckEnabled" value="true"/>
</bean>
<!--
The Homepage specific configuration settings for discovery
-->
<bean id="homepageConfiguration" class="org.dspace.discovery.configuration.DiscoveryConfigurat
ion" scope="prototype">
<!--
Which sidebar facets are to be displayed (same as defaultConfiguration above)
-->
<property name="sidebarFacets">
<list>
<ref bean="searchFilterAuthor"/>
<ref bean="searchFilterSubject"/>
<ref bean="searchFilterIssued"/>
<ref bean="searchFilterRefNo"/>
</list>
</property>
<!--
Set TagCloud configuration per discovery configuration
-->
<property name="tagCloudFacetConfiguration" ref="homepageTagCloudFacetConfiguration"/>
<!--
The search filters which can be used on the discovery search page (same as
defaultConfiguration above)
-->
<property name="searchFilters">
<list>
<ref bean="searchFilterTitle"/>
<ref bean="searchFilterAuthor"/>
<ref bean="searchFilterSubject"/>
<ref bean="searchFilterIssued"/>
<ref bean="searchFilterRefNo"/>
</list>
</property>
<!--
The sort filters for the discovery search (same as defaultConfiguration above)
-->
<property name="searchSortConfiguration">
<bean class="org.dspace.discovery.configuration.DiscoverySortConfiguration">
<!--
<property name="defaultSort" ref="sortDateIssued"/>
-->
<!--
DefaultSortOrder can either be desc or asc (desc is default)
-->
<property name="defaultSortOrder" value="desc"/>
<property name="sortFields">
<list>
<ref bean="sortTitle"/>
<ref bean="sortDateIssued"/>
<ref bean="sortRefNo"/>
</list>
</property>
</bean>
</property>
<!--
Limit recent submissions on homepage to only 5 (default is 20)
-->
<property name="recentSubmissionConfiguration">
<bean class="org.dspace.discovery.configuration.DiscoveryRecentSubmissionsConfiguration">
<property name="metadataSortField" value="dc.date.accessioned"/>
<property name="type" value="date"/>
<property name="max" value="5"/>
<property name="useAsHomePage" value="false"/>
</bean>
</property>
<property name="hitHighlightingConfiguration">
<bean class="org.dspace.discovery.configuration.DiscoveryHitHighlightingConfiguration">

```

```

<property name="metadataFields">
<list>
<bean class="org.dspace.discovery.configuration.DiscoveryHitHighlightFieldConfiguration">
<property name="field" value="dc.title"/>
<property name="snippets" value="5"/>
</bean>
<bean class="org.dspace.discovery.configuration.DiscoveryHitHighlightFieldConfiguration">
<property name="field" value="dc.contributor.author"/>
<property name="snippets" value="5"/>
</bean>
<bean class="org.dspace.discovery.configuration.DiscoveryHitHighlightFieldConfiguration">
<property name="field" value="dc.description.abstract"/>
<property name="maxSize" value="250"/>
<property name="snippets" value="2"/>
</bean>
<bean class="org.dspace.discovery.configuration.DiscoveryHitHighlightFieldConfiguration">
<property name="field" value="fulltext"/>
<property name="maxSize" value="250"/>
<property name="snippets" value="2"/>
</bean>
</list>
</property>
</bean>
</property>
<!--
  When true a "did you mean" example will be displayed, value can be true or false
-->
<property name="spellCheckEnabled" value="true"/>
</bean>
<!--
TagCloud configuration bean for homepage discovery configuration
-->
<bean id="homepageTagCloudFacetConfiguration" class="org.dspace.discovery.configuration.TagCloudFacetConfiguration">
<!--
  Actual configuration of the tagcloud (colors, sorting, etc.)
-->
<property name="tagCloudConfiguration" ref="tagCloudConfiguration"/>
<!--
  List of tagclouds to appear, one for every search filter, one after the other
-->
<property name="tagCloudFacets">
<list>
<ref bean="searchFilterSubject"/>
</list>
</property>
</bean>
<!--
TagCloud configuration bean for default discovery configuration
-->
<bean id="defaultTagCloudFacetConfiguration" class="org.dspace.discovery.configuration.TagCloudFacetConfiguration">
<!--
  Actual configuration of the tagcloud (colors, sorting, etc.)
-->
<property name="tagCloudConfiguration" ref="tagCloudConfiguration"/>
<!--
  List of tagclouds to appear, one for every search filter, one after the other
-->
<property name="tagCloudFacets">
<list>
<ref bean="searchFilterSubject"/>
</list>
</property>
</bean>
<bean id="tagCloudConfiguration" class="org.dspace.discovery.configuration.TagCloudConfiguration">
<!--
  Should display the score of each tag next to it? Default: false
-->
<!-- <property name="displayScore" value="true"/> -->
<!--
  Should display the tag as center aligned in the page or left aligned? Possible values: true |
false. Default: true
-->
<!-- <property name="shouldCenter" value="true"/> -->
<!--

```

```

    How many tags will be shown. Value -1 means all of them. Default: -1
-->
<!-- <property name="totalTags" value="-1"/> -->
<!--
    The letter case of the tags.
    Possible values: Case.LOWER | Case.UPPER | Case.CAPITALIZATION |
Case.PRESERVE_CASE | Case.CASE_SENSITIVE
    Default: Case.PRESERVE_CASE
-->
<!--
<property name="cloudCase" value="Case.PRESERVE_CASE"/>
-->
<!--
    If the 3 colors of the tag cloud should be independent of score (random=yes) or based on the
score. Possible values: true | false . Default: true
-->
<!-- <property name="randomColors" value="true"/> -->
<!--
    The font size (in em) for the tag with the lowest score. Possible values: any decimal.
Default: 1.1
-->
<!-- <property name="fontFrom" value="1.1"/> -->
<!--
    The font size (in em) for the tag with the lowest score. Possible values: any decimal.
Default: 3.2
-->
<!-- <property name="fontTo" value="3.2"/> -->
<!--
    The score that tags with lower than that will not appear in the rag cloud. Possible values:
any integer from 1 to infinity. Default: 0
-->
<!-- <property name="cuttingLevel" value="0"/> -->
<!--
    The ordering of the tags (based either on the name or the score of the tag)
    Possible values: Tag.NameComparatorAsc | Tag.NameComparatorDesc |
Tag.ScoreComparatorAsc | Tag.ScoreComparatorDesc
    Default: Tag.NameComparatorAsc
-->
<!--
<property name="ordering" value="Tag.NameComparatorAsc"/>
-->
</bean>
<!--
    The tag cloud parameters for the tag clouds that appear in the browse pages
-->
<bean id="browseTagCloudConfiguration" class="org.dspace.discovery.configuration.TagCloudConfi
guration">
<!--
    Should display the score of each tag next to it? Default: false
-->
<!-- <property name="displayScore" value="true"/> -->
<!--
    Should display the tag as center aligned in the page or left aligned? Possible values: true |
false. Default: true
-->
<!-- <property name="shouldCenter" value="true"/> -->
<!--
    How many tags will be shown. Value -1 means all of them. Default: -1
-->
<!-- <property name="totalTags" value="-1"/> -->
<!--
    The letter case of the tags.
    Possible values: Case.LOWER | Case.UPPER | Case.CAPITALIZATION |
Case.PRESERVE_CASE | Case.CASE_SENSITIVE
    Default: Case.PRESERVE_CASE
-->
<!--
<property name="cloudCase" value="Case.PRESERVE_CASE"/>
-->
<!--
    If the 3 colors of the tag cloud should be independent of score (random=yes) or based on the
score. Possible values: true | false . Default: true
-->
<!-- <property name="randomColors" value="true"/> -->
<!--
    The font size (in em) for the tag with the lowest score. Possible values: any decimal.
Default: 1.1

```

```

-->
<!-- <property name="fontFrom" value="1.1"/> -->
<!--
  The font size (in em) for the tag with the lowest score. Possible values: any decimal.
  Default: 3.2
-->
<!-- <property name="fontTo" value="3.2"/> -->
<!--
  The tags with score lower than this will not appear in the tag cloud. Possible values: any
  integer from 1 to infinity. Default: 0
-->
<!-- <property name="cuttingLevel" value="0"/> -->
<!--
  The ordering of the tags (based either on the name or the score of the tag)
  Possible values: Tag.NameComparatorAsc | Tag.NameComparatorDesc |
  Tag.ScoreComparatorAsc | Tag.ScoreComparatorDesc
  Default: Tag.NameComparatorAsc
-->
<!--
  <property name="ordering" value="Tag.NameComparatorAsc"/>
-->
</bean>
<!-- Search filter configuration beans -->
<bean id="searchFilterTitle" class="org.dspace.discovery.configuration.DiscoverySearchFilter">
<property name="indexFieldName" value="title"/>
<property name="metadataFields">
<list>
<value>dc.title</value>
</list>
</property>
</bean>
<bean id="searchFilterAuthor" class="org.dspace.discovery.configuration.DiscoverySearchFilterF
acet">
<property name="indexFieldName" value="author"/>
<property name="metadataFields">
<list>
<value>dc.contributor.author</value>
<value>dc.creator</value>
</list>
</property>
<property name="facetLimit" value="10"/>
<property name="sortOrder" value="COUNT"/>
</bean>
<bean id="searchFilterSubject" class="org.dspace.discovery.configuration.HierarchicalSidebarFa
cetConfiguration">
<property name="indexFieldName" value="subject"/>
<property name="metadataFields">
<list>
<value>dc.subject.*</value>
</list>
</property>
<property name="facetLimit" value="10"/>
<property name="sortOrder" value="COUNT"/>
<property name="splitter" value="::"/>
</bean>
<bean id="searchFilterIssued" class="org.dspace.discovery.configuration.DiscoverySearchFilterF
acet">
<property name="indexFieldName" value="dateIssued"/>
<property name="metadataFields">
<list>
<value>dc.date.issued</value>
</list>
</property>
<property name="type" value="date"/>
<property name="sortOrder" value="VALUE"/>
</bean>
<bean id="searchFilterRefNo" class="org.dspace.discovery.configuration.DiscoverySearchFilterFa
cet">
<property name="indexFieldName" value="refno"/>
<property name="metadataFields">
<list>
<value>dc.refno</value>
</list>
</property>
<property name="facetLimit" value="10"/>
<property name="sortOrder" value="COUNT"/>
</bean>

```

```
<!-- Sort properties -->
<bean id="sortTitle" class="org.dspace.discovery.configuration.DiscoverySortFieldConfiguration"
">
<property name="metadataField" value="dc.title"/>
</bean>
<bean id="sortDateIssued" class="org.dspace.discovery.configuration.DiscoverySortFieldConfiguration"
">
<property name="metadataField" value="dc.date.issued"/>
<property name="type" value="date"/>
</bean>
<bean id="sortRefNo" class="org.dspace.discovery.configuration.DiscoverySortFieldConfiguration"
">
<property name="metadataField" value="dc.refno"/>
</bean>
</beans>
```